

# E-BOX-48100R



## Introduction

E-BOX-48100R, the new generation LFP battery for home energy storage system. It provides safe, well-designed and high-performance standard LFP battery pack for you. The battery pack is compact, easy to install, free of maintenance and used as the building block of energy storage system by assembling in parallel. It is widely applied in home applications, small commercial and industrial energy storage system as well as Telecom stations.

## Features



### Electricity Bills Reduction

charge the battery during off-peak period and discharge the battery during peak period



### Self-Consumption

store excess energy generated by solar panels and use it whenever needed



### Reduce Electricity Bills

Harvest a majority of electricity from the sun instead of purchasing from the grid, especially peak-hour expensive electricity purchase.



### Back-up Power Supply

provide the power during grid blackouts.

## Technical Specifications

Battery Model	E-BOX-48100R
Chemistry	LFP
Nominal Voltage	51.2V
Voltage Range	44.8V-57.6V
Nominal Capacity	100Ah
Nominal Energy	5.12kWh
Unit Dimension	L481mm* W620mm * H117mm (2.6U)
Unit Weight	51kg
Standard Charge Current	50A
Maximum Charge Current	50A
Standard Discharge	50A
Maximum Discharge Rate	70A
Round-Trip Efficiency	≥95%
Communication Protocol	RS232, RS485, CAN
Cycle Life	≥6000cycles@0.5C/0.5C @90%DOD, ret@80%, 25℃
Calendar Life	≥10years
Operating Temperature	Charge: 0℃~ 55℃, Discharge: -20℃~55℃
Certificates	IEC62619 / UN38.3
Connect style	Parallel
Storage Temperature	Within 1month: -20~55℃,1-3months: 0~35℃,3-12months: 20~25℃

## Operation Panel

